

## DECLARATION OF CONFORMITY

08 - 20

|                             |   |
|-----------------------------|---|
| <b>Manufacturer:</b>        | <b>VALMIERAS STIKLA ŠĶIEDRA, AS</b>                       |
| <b>Address:</b>             | Cempu 13, Valmiera, LV-4201, Latvia                       |
| <b>Product designation:</b> | <b>SSA-0808 SM</b>  |
| <b>Intended use:</b>        | Glass fibre netting for reinforcement of inner renderings |

### Guaranteed technical and physical properties:

| Characteristic                               | Requirement                      | Reference               |
|--|----------------------------------|-------------------------|
| Mesh opening (warp x weft direction), mm     | $(8,0 \times 8,0) \pm 0,5$       | Manufacturer's TDS: S06 |
| Thread count, per 10 cm                      |                                  |                         |
| - Warp                                       | $(12 \times 2) \pm (1 \times 2)$ | Manufacturer's TDS: S06 |
| - Weft                                       | $12 \pm 1$                       |                         |
| Mass per unit area, g/m <sup>2</sup>         | 125 ( $\pm 10\%$ )               | Manufacturer's TDS: S06 |
| LOI, %                                       | $17 \pm 3$                       | Manufacturer's TDS: S06 |
| Tensile strength in as-delivered state, N/mm | $\geq 30$                        | Manufacturer's TDS: S06 |

Product conformity to LVS 203-2:2005 is approved by AS "Inspecta Latvia".

Signed for and on behalf of the  
manufacturer by:



/I.Pakere/  
Deputy Head of Quality Department

Valmiera, 28/02/2022